



PASSENGER AND LIGHT TRUCK TYRES CATALOG **2023**



Exclusive Distributor for Latin America, Mexico & The Caribbean



Sales Office USA:

12555 Orange Drive Suite # 107 Southwest Ranches, FL 33330

Tel: 786-521-1284 / 786-521-1296

Email: sales@commercial-plus.com

Sales Office Mexico:

Leibnitz 117, Piso 3 Of 303 Col. Nueva Anzures

Ciudad de Mexico C.P 11590

Tel: 786-521-1284 / 786-521-1296

Email: sales@tireinternational.com.mx

CONTENT

HP NS316	01/02
HP NS393[Super wearing performance]	03/04
UHP NS601	05/08
NS601[RUN-FLAT]	09/10
UHP NS602	11/12
HT NS515	13/14
HT DYNTRAC	15/16
AT NS501	17/18
AT ALL-TERRAIN NX5	19/20
MT NS523	21/22
COMMERCIAL NS913	23/24
COMMERCIAL NS916	25/26
SNOW NS805+	27/28
SNOW SCLAW NS806	29/30
SNOW NS808	31/32
SNOW NS809	33/34



M+S

Pattern Code NS316 HP

NS316



A summer tyre for small and medium-sized vehicles.

- **SPEED RATING:**
T/H/V Speed Rated
- **UTQG:**
400/A/A
- **ADDITIONAL INFORMATION:**



	Size	LI/SI	Measuring Rim	Overall Diameter	UTQG	Remark
13	155/65R13	73T	4.5J	532	400/A/A	
	155/70R13	75T	4.5J	548	400/A/A	
	155/80R13	79T	4.5J	578	400/A/A	
	165/65R13	77T	4.5J	544	400/A/A	
	165/70R13	79T	5.0J	562	400/A/A	
	165/80R13	83T	4.5J	594	400/A/A	
	175/60R13	77T	5.0J	540	400/A/A	
	175/70R13	82T	5.0J	576	400/A/A	
	185/70R13	86T	5.5J	590	400/A/A	
14	165/70R14	81T	5.0J	588	400/A/A	
	175/65R14	82H	5.0J	584	400/A/A	
	175/65R14	86T XL	5.0J	584	400/A/A	
	175/70R14	84T	5.0J	602	400/A/A	
	185/60R14	82H	5.5J	578	400/A/A	
	185/65R14	86H	5.5J	596	400/A/A	
	185/70R14	88H	5.5J	616	400/A/A	
	195/60R14	86H	6.0J	590	400/A/A	
	195/65R14	89H	6.0J	610	400/A/A	
	195/70R14	91H	6.0J	630	400/A/A	
	205/60R14	88H	6.0J	602	400/A/A	
	205/70R14	95H	6.0J	644	400/A/A	
	215/70R14	96H	6.5J	658	400/A/A	
15	185/55R15	82V	6.0J	585	400/A/A	RP
	185/60R15	88H XL	5.5J	603	400/A/A	
	185/65R15	88H	5.5J	621	400/A/A	
	195/50R15	82H	6.0J	577	400/A/A	RP
	195/55R15	85V	6.0J	595	400/A/A	RP
	195/60R15	88H	6.0J	615	400/A/A	
	195/65R15	91H	6.0J	635	400/A/A	
	205/60R15	91H	6.0J	627	400/A/A	
	205/65R15	94V	6.0J	647	400/A/A	
	205/70R15	96H	6.0J	669	400/A/A	
	215/60R15	94H	6.5J	639	400/A/A	
	215/65R15	96H	6.5J	661	400/A/A	
	215/70R15	98H	6.5J	683	400/A/A	
	225/60R15	96V	6.5J	651	400/A/A	
16	195/55R16	91V XL	6.0J	620	400/A/A	
	195/60R16	89H	6.0J	640	400/A/A	
	205/55R16	94V XL	6.5J	632	400/A/A	RP
	205/55R16	91V	6.5J	632	400/A/A	
	205/60R16	92H	6.0J	652	400/A/A	
	205/65R16	95H	6.0J	672	400/A/A	
	215/55R16	93V	7.0J	642	400/A/A	
	215/55R16	97W	7.0J	642	400/A/A	
	215/60R16	95H	6.5J	664	400/A/A	
	215/65R16	98H	6.5J	686	400/A/A	
	225/55R16	95V	7.0J	654	400/A/A	
	225/60R16	98H	6.5J	676	400/A/A	
	235/60R16	100H	7.0J	688	400/A/A	
17	215/55R17	94V	7.0J	668	400/A/A	
	225/55R17	101H XL	7.0J	680	400/A/A	
RWW & RWL	165/65R13	77T	4.5J	544	400/A/A	RWW
	175/70R13	82T	5.0J	576	400/A/A	RWW
	185/70R14	88H	5.5J	616	400/A/A	RWW
	185/70R14	88H	5.5J	616	400/A/A	RWL
	195/70R14	91H	6.0J	630	400/A/A	RWW
	195/70R14	91H	6.0J	630	400/A/A	RWL
	195/65R15	91H	6.0J	635	400/A/A	RWW
	195/65R15	91H	6.0J	635	400/A/A	RWW

RWW=Raised White Wall RWL=Raised White Letter RP=Rim Protector



M+S

Pattern Code NS316 HP

NS316



Size	LI/SI	Measuring Rim	Overall Diameter	UTQG	Remark
185/70R13	86H			400/A/A	
155/65R14	75T			400/A/A	
165/60R14	75H			400/A/A	
175/65R15	84H			400/A/A	
195/50R15	82V			400/A/A	
205/65R15	94H			400/A/A	
195/50R16	84V			400/A/A	

RWW=Raised White Wall RWL=Raised White Letter RP=Rim Protector

A summer tyre for small and medium-sized vehicles.

- SPEED RATING:
T/H/V Speed Rated

- UTQG:
400/A/A

- ADDITIONAL INFORMATION:    





M+S

Pattern Code NS393 HP

NS393

Super wearing performance/Long mileage

NEW



Ultra-high wear-resistant tyres.
High wear-resistant formula can extend 55% of long driving mileage.

■ SPEED RATING:

H/V Speed Rated

■ UTQG:

700/A/A

■ ADDITIONAL INFORMATION: (E9) (CCC)



	Size	LI/SI	Measuring Rim	Overall Diameter	UTQG	Remark
16	205/55R16	91V	6.5J	632	700/A/A	
	215/55R16	93V	7.0J	642	700/A/A	
	215/60R16	95H	6.5J	664	700/A/A	
	225/55R16	95V	7.0J	654	700/A/A	RP
	225/60R16	98H	6.5J	676	700/A/A	
17	215/55R17	94V	7.0J	668	700/A/A	RP
	215/60R17	96H	6.5J	690	700/A/A	
	215/65R17	99H	6.5J	712	700/A/A	
	225/55R17	97V	7.0J	680	700/A/A	RP
	225/60R17	99H	6.5J	702	700/A/A	
18	225/55R18	98V	7.0J	705	700/A/A	RP
	225/60R18	100H	6.5J	727	700/A/A	RP
	P205/55R16	89V			700/A/A	
	P215/55R16	91V			700/A/A	
	P215/60R16	94H			700/A/A	
	P225/55R16	94V			700/A/A	
	P225/60R16	97H			700/A/A	
	P215/55R17	93V			700/A/A	
	P215/60R17	95H			700/A/A	
	P215/65R17	98H			700/A/A	
	P225/55R17	95V			700/A/A	
	P225/60R17	98H			700/A/A	
	P225/55R18	97V			700/A/A	
	P225/60R18	99H			700/A/A	

RP=RIM PROTECTOR



Pattern Code NS601 UHP

NS601



An all season tyre with excellent handling performance.

■ **SPEED RATING:**

T/H/V Speed Rated

■ **UTQG:**

- 320/A/A
- 360/A/A
- 400/A/A

■ **ADDITIONAL INFORMATION:**



	Size	LI/SI	Measuring Rim	Overall Diameter	RR	Wet Grip	Noise	UTQG	REMARK
13	155/65R13	73T	4.5J	532	D	B	69]	400/A/A	
	155/70R13	75T	4.5J	548	D	B	69]	360/A/A	
	155/80R13	79T	4.5J	578	D	B	69]	400/A/A	
	165/65R13	77H	5.0B	544	D	B	69]	360/A/A	
	165/70R13	79T	5.0J	562	D	B	69]	360/A/A	
	165/80R13	83T	4.5J	594	D	B	69]	360/A/A	
	175/60R13	77T	5.0J	540	D	B	69]	360/A/A	
	175/70R13	82T	5.0J	576	D	B	69]	360/A/A	
	185/70R13	86H	5.5J	590	C	B	69]	400/A/A	
14	155/65R14	75T	4.5J	558	D	B	69]	360/A/A	
	155/70R14	77T	4.5J	574	D	B	69]	360/A/A	
	165/60R14	75H	5.0J	554	D	B	69]	400/A/A	
	165/65R14	79T	5.0J	570	D	B	69]	400/A/A	
	165/70R14	81T	5.0J	588	D	B	69]	360/A/A	
	175/65R14	82H	5.0J	584	D	B	69]	400/A/A	
	175/70R14	84H	5.0J	602	C	B	69]	360/A/A	
	185/50R14	77V	6.0J	542	D	B	69]	400/A/A	
	185/55R14	80H	6.0J	560	D	B	69]	360/A/A	
	185/60R14	82H	5.5J	578	D	B	69]	400/A/A	
	185/65R14	86H	5.5J	596	C	B	69]	400/A/A	
	185/70R14	88H	5.5J	616	C	B	69]	400/A/A	
	195/60R14	86H	6.0J	590	C	B	69]	400/A/A	
	195/65R14	89H	6.0J	610	C	B	69]	400/A/A	
	195/70R14	91H	6.0J	630	C	B	69]	400/A/A	
	205/60R14	88H	6.0J	602	C	B	69]	400/A/A	
	205/70R14	95H	6.0J	644	C	B	69]	400/A/A	
	215/70R14	96H	6.5J	658	C	B	69]	400/A/A	
15	155/60R15	74T	4.5J	567	D	B	69]	400/A/A	
	165/60R15	81H XL	5.0J	579	D	B	69]	400/A/A	
	165/65R15	81T	5.0J	595	D	B	69]	400/A/A	
	175/55R15	77T	5.5J	573	C	B	69]	360/A/A	
	175/60R15	81H	5.0J	591	D	B	69]	360/A/A	
	175/65R15	84H	5.0J	609	C	B	69]	360/A/A	
	185/55R15	82V	6.0J	585	D	B	69]	400/A/A	
	185/60R15	88H XL	5.5J	603	C	B	69]	400/A/A	
	185/65R15	88H	5.5J	621	C	B	69]	400/A/A	
	195/50R15	82V	6.0J	577	D	B	69]	400/A/A	
	195/55R15	85V	6.0J	595	C	B	69]	400/A/A	
	195/60R15	88V	6.0J	615	C	B	69]	400/A/A	
	195/65R15	91H	6.0J	635	C	B	69]	400/A/A	
	205/60R15	91V	6.0J	627	C	B	69]	400/A/A	
	205/65R15	94V	6.0J	647	C	B	69]	400/A/A	
	205/70R15	96H	6.0J	669	C	B	69]	400/A/A	
	215/60R15	94H	6.5J	639	C	B	69]	400/A/A	
	215/65R15	96H	6.5J	661	C	B	69]	400/A/A	
	215/70R15	98H	6.5J	683	C	B	69]	400/A/A	
	225/60R15	96V	6.5J	651	C	B	69]	400/A/A	
16	175/50R16	77V	5.5J	582	D	B	69]	400/A/A	
	175/60R16	82H	5.0J	616	D	B	69]	360/A/A	
	185/50R16	81V	6.0J	592	D	B	69]	400/A/A	
	185/55R16	87V XL	6.0J	610	D	B	69]	400/A/A	
	195/45R16	84V	6.5J	582	C	B	69]	400/A/A	RP
	195/50R16	84V	6.0J	602	C	B	69]	400/A/A	
	195/55ZR16	91W XL	6.0J	620	C	B	69]	400/A/A	
	195/60R16	89H	6.0J	640	C	B	69]	400/A/A	
	205/45ZR16	87W XL	7.0J	590	C	B	69]	320/A/A	RP
	205/50ZR16	87W	6.5J	612	C	B	69]	320/A/A	RP
	205/55R16	91V	6.5J	632	C	B	69]	320/A/A	
	205/55ZR16	91V	6.5J	632	C	B	69]	320/A/A	
	205/55ZR16	94W	6.5J	632	C	B	69]	320/A/A	
	205/60R16	92V	6.0J	652	C	B	69]	400/A/A	
	205/65R16	95H	6.0J	672	C	B	69]	400/A/A	
	215/60R16	95V	6.5J	664	C	B	69]	400/A/A	
	215/65R16	98H	6.5J	686	C	B	69]	400/A/A	
	225/60R16	98H	6.5J	676	C	B	69]	400/A/A	
	235/60R16	100H	7.0J	688	C	B	69]	400/A/A	
	225/50R16	92V	7.0J	632	C	B	69]	320/A/A	RP
	225/50ZR16	96W XL	7.0J	632	C	B	69]	320/A/A	RP
	225/55ZR16	99W XL	7.0J	654	C	B	69]	320/A/A	

RP=RIM PROTECTOR



Pattern Code NS601 UHP

NS601



An all season tyre with excellent handling performance.

■ **SPEED RATING:**

T/H/V Speed Rated

■ **UTQG:**

320/A/A

360/A/A

400/A/A

■ **ADDITIONAL INFORMATION:**



Size	LI/SI	Measuring Rim	Overall Diameter	RR	Wet Grip	Noise	UTQG	REMARK
17 195/40ZR17	81W XL	7.0J	588	D	B	69	320/A/A	RP
195/45ZR17	85W XL	6.5J	608	C	B	69	320/A/A	RP
205/40ZR17	84W XL	7.5J	596	C	B	69	320/A/A	RP
205/45ZR17	88W XL	7.0J	616	C	B	69	320/A/A	RP
205/50ZR17	93W XL	6.5J	638	C	B	69	320/A/A	RP
215/40ZR17	87W XL	7.5J	604	C	B	69	320/A/A	RP
215/45ZR17	91W XL	7.0J	626	C	B	69	320/A/A	RP
215/50ZR17	95W XL	7.0J	648	C	B	69	320/A/A	RP
215/55ZR17	98W XL	7.0J	668	C	B	69	320/A/A	RP
225/45ZR17	94W XL	7.5J	634	C	B	69	320/A/A	RP
225/45ZR17	94Y XL	7.5J	634	C	B	69	320/A/A	RP
225/50ZR17	98W XL	7.0J	658	C	B	69	320/A/A	RP
225/50ZR17	98Y XL	7.0J	658	C	B	69	320/A/A	RP
225/55ZR17	101W XL	7.0J	680	C	B	69	320/A/A	RP
235/45ZR17	97W XL	8.0J	644	C	B	69	320/A/A	RP
235/45ZR17	97Y XL	8.0J	644	C	B	69	320/A/A	RP
235/50ZR17	100W XL	7.5J	668	C	B	69	320/A/A	RP
235/55ZR17	103V XL	7.5J	690	C	B	69	320/A/A	RP
245/40ZR17	95W XL	8.5J	628	C	B	69	320/A/A	RP
245/40ZR17	95Y XL	8.5J	628	C	B	69	320/A/A	RP
245/45ZR17	99W XL	8.0J	652	C	B	69	320/A/A	RP
18 215/35ZR18	84W XL	7.5J	607	C	B	69	320/A/A	RP
215/40ZR18	89W XL	7.5J	629	C	B	69	320/A/A	RP
215/40ZR18	89Y XL	7.5J	629	C	B	69	320/A/A	RP
215/45ZR18	93W XL	7.0J	651	C	B	69	320/A/A	RP
215/45ZR18	93Y XL	7.0J	651	C	B	69	320/A/A	RP
225/35R18	87Y	8.0J	615	C	B	69	320/A/A	RP
225/40ZR18	92W XL	8.0J	637	C	B	69	320/A/A	RP
225/40ZR18	92Y XL	8.0J	637	C	B	69	320/A/A	RP
225/45ZR18	95W XL	7.5J	659	C	B	69	320/A/A	RP
225/45ZR18	95Y XL	7.5J	659	C	B	69	320/A/A	RP
235/40ZR18	95W XL	8.5J	645	C	B	69	320/A/A	RP
235/40ZR18	95Y XL	8.5J	645	C	B	69	320/A/A	RP
235/45ZR18	98W XL	8.0J	669	C	B	69	320/A/A	RP
235/45ZR18	98Y XL	8.0J	669	C	B	69	320/A/A	RP
245/35R18	92Y	8.5J	669	C	B	69	320/A/A	RP
245/40ZR18	97W XL	8.5J	653	C	B	69	320/A/A	RP
245/40ZR18	97Y XL	8.5J	653	C	B	69	320/A/A	RP
245/45ZR18	100W XL	8.0J	677	C	B	69	320/A/A	RP
245/45ZR18	100Y XL	8.0J	677	C	B	69	320/A/A	RP
245/50ZR18	104W XL	7.5J	703	C	B	69	320/A/A	RP
255/35ZR18	94W XL	9.0J	635	C	B	73	320/A/A	RP
255/35ZR18	94Y XL	9.0J	635	C	B	73	320/A/A	RP
255/40R18	99Y XL	9.0J	661	C	B	73	320/A/A	RP
255/45ZR18	103W XL	8.5J	687	C	B	73	320/A/A	RP
255/45ZR18	103Y XL	8.5J	687	C	B	73	320/A/A	RP
255/55ZR18	109W XL	8.0J	737	C	B	73	320/A/A	RP
255/55ZR18	109Y XL	8.0J	737	C	B	73	320/A/A	RP
265/35R18	97Y XL	9.5J	643	C	B	73	320/A/A	RP
275/35R18	99Y XL	9.5J	649	C	B	73	320/A/A	RP
19 215/35R19	8.5Y XL	7.5J	633	C	B	69	320/A/A	RP
225/35ZR19	88W XL	8.0J	641	C	B	69	320/A/A	RP
225/35ZR19	88Y XL	8.0J	641	C	B	69	320/A/A	RP
225/40R19	93Y XL	8.0J	663	C	B	69	320/A/A	RP
225/45R19	96Y XL	7.5J	685	C	B	69	320/A/A	RP
235/35ZR19	91W XL	8.5J	647	C	B	69	320/A/A	RP
235/35ZR19	91Y XL	8.5J	647	C	B	69	320/A/A	RP
235/40ZR19	96W XL	8.5J	671	C	B	69	320/A/A	RP
235/40ZR19	96Y XL	8.5J	671	C	B	69	320/A/A	RP
245/35ZR19	93W XL	8.5J	655	C	B	69	320/A/A	RP
245/35ZR19	93Y XL	8.5J	655	C	B	69	320/A/A	RP
245/40R19	98Y XL	8.5J	679	C	B	69	320/A/A	RP
245/45ZR19	102W XL	8.0J	703	C	B	69	320/A/A	RP
245/45ZR19	102Y XL	8.0J	703	C	B	69	320/A/A	RP
255/30ZR19	91W XL	9.0J	637	C	B	73	320/A/A	RP
255/30ZR19	91Y XL	9.0J	637	C	B	73	320/A/A	RP
255/35ZR19	96W XL	9.0J	661	C	B	73	320/A/A	RP
255/35ZR19	96Y XL	9.0J	661	C	B	73	320/A/A	RP
255/40ZR19	100W XL	9.0J	687	C	B	73	320/A/A	RP
255/40ZR19	100Y XL	9.0J	687	C	B	73	320/A/A	RP
255/45R19	104Y XL	8.5J	713	C	B	73	320/A/A	RP
265/30R19	93Y XL	9.5J	643	C	B	73	320/A/A	RP
275/30R19	96Y XL	9.5J	649	C	B	73	320/A/A	RP
275/35R19	100Y XL	9.5J	675	C	B	73	320/A/A	RP
275/40R19	105Y XL	9.5J	703	C	B	73	320/A/A	RP
275/45R19	108Y XL	9.0J	731	C	B	73	320/A/A	RP
225/35R20	90W XL	8.0J	666	C	B	69	320/A/A	RP
20 235/30R20	88Y XL	8.5J	650	C	B	69	320/A/A	RP
245/30R20	90Y XL	8.5J	656	C	B	69	320/A/A	RP
245/35ZR20	95W XL	8.5J	680	C	B	69	320/A/A	RP
245/35ZR20	95Y XL	8.5J	680	C	B	69	320/A/A	RP
245/40R20	99Y XL	8.5J	704	C	B	69	320/A/A	RP
255/30ZR20	92W XL	9.0J	662	C	B	73	320/A/A	RP
255/30ZR20	92Y XL	9.0J	662	C	B	73	320/A/A	RP
255/35R20	97Y XL	9.0J	686	C	B	73	320/A/A	RP
255/35R20	97Y	9.0J	686	C	B	73	320/A/A	RP
275/30R20	97Y XL	9.5J	674	C	B	73	320/A/A	RP
275/35ZR20	102W XL	9.5J	700	C	B	73	320/A/A	RP
275/35ZR20	102Y XL	9.5J	700	C	B	73	320/A/A	RP
22 295/40ZR22	112W XL	10.5J	795	C	B	75	320/A/A	RP
295/40ZR22	112Y XL	10.5J	795	C	B	75	320/A/A	RP

RP=RIM PROTECTOR



Pattern Code **NS601 RUN FLAT**

RUN-FLAT NS601



	Size	LI/SI	Measuring Rim	Overall Diameter	RR	Wet Grip	Noise	UTQG	REMARK
17	205/45ZRF17	84W	7.0J	616	C	B	69	320/A/A	<i>RUN-FLAT</i>
	225/45ZRF17	91W	7.5J	634	C	B	69	320/A/A	<i>RUN-FLAT</i>
	225/50ZRF17	94W	7.0J	658	C	B	69	320/A/A	<i>RUN-FLAT</i>
	225/55ZRF17	97W	7.0J	680	C	B	69	320/A/A	<i>RUN-FLAT</i>
18	225/40ZRF18	88W	8.0J	637	C	B	69	320/A/A	<i>RUN-FLAT</i>
	245/40ZRF18	93W	8.5J	653	C	B	69	320/A/A	<i>RUN-FLAT</i>
	245/45ZRF18	96W	8.0J	677	C	B	69	320/A/A	<i>RUN-FLAT</i>
	225/45ZRF18	95W	7.5J	659	C	B	69	320/A/A	<i>RUN-FLAT</i>
	225/45ZRF18	91W	7.5J	659	C	B	69	320/A/A	<i>RUN-FLAT</i>
	195/65R15	91V			C	B	69	400/A/A	
	195/65R15	91V			C	B	69	400/A/A	
	205/50R16	87W			C	B	69	320/A/A	
235/60R16	100H			C	B	69	400/A/A		
205/55ZR17	95W XL			C	B	69	320/A/A		
235/55R17	103V			C	B	69	320/A/A		
245/40R17	95W			C	B	69	400/A/A		
235/50ZR18	101W XL			C	B	69	320/A/A		
235/55R18	104V			C	B	69	320/A/A		
215/55ZR16	97W XL			C	B	69	320/A/A		
235/55ZR18	104V XL			C	B	69	320/A/A		

RUN-FLAT TYRES(RFT)

An all season tyre with excellent handling performance.

■ **SPEED RATING:**
T/H/V Speed Rated

■ **UTQG:**
320/A/A
360/A/A
400/A/A

■ **ADDITIONAL INFORMATION:**



M+S

Pattern Code NS602 UHP

NS602



NEW



Powerful performance and superior handling for luxury vehicles.

■ **SPEED RATING:**

W Speed Rated

■ **UTQG:**

320/A/A

■ **ADDITIONAL INFORMATION:**



	Size	LI/SI	Measuring Rim	Overall Diameter	UTQG	Remark
20	225/30ZR20	85W XL	8.0J	644	320/A/A	RP
	225/35ZR20	90W XL	8.0J	666	320/A/A	RP
	245/35ZR20	95W XL	8.5J	680	320/A/A	RP
	255/35ZR20	97Y XL	9.0J	686	320/A/A	RP
	275/40ZR20	106W XL	9.5J	728	320/A/A	RP
	275/45R20	110W XL	9.0J	756	320/A/A	RP
	285/50R20	116W XL	9.0J	794	320/A/A	RP
	22	245/30ZR22	92W XL	8.5J	707	320/A/A
255/30ZR22		95W XL	9.0J	713	320/A/A	RP
265/35ZR22		102W XL	9.5J	745	320/A/A	RP
305/40ZR22		114W XL	11.0J	803	320/A/A	RP
24	255/30ZR24	97W XL	9.0J	764	320/A/A	RP
	305/35ZR24	112W XL	11.0J	824	320/A/A	RP


RP=Rim Protector



NS515



The premium all-season SUV tyre.

- **SPEED RATING:**
H/V Speed Rated
- **UTQG:**
460/A/B
- **ADDITIONAL INFORMATION:**    

	Size	LI/SI	Measuring Rim	Overall Diameter	UTQG
15	205/70R15	96HXL	6.0J	669	460/A/B
	235/75R15	105H	6.5J	733	460/A/B
16	215/65R16	102H XL	6.5J	686	460/A/B
	225/70R16	103H	6.5J	722	460/A/B
	235/60R16	100H	7.0J	688	460/A/B
	235/70R16	106H	7.0J	736	460/A/B
	245/70R16	107H	7.0J	750	460/A/B
17	265/70R16	112H	8.0J	778	460/A/B
	225/65R17	102H	6.5J	724	460/A/B
	235/65R17	108V XL	7.0J	738	460/A/B
	255/55R18	109V XL	8.0J	737	460/A/B
18	235/60R18	107V XL	7.0J	739	460/A/B



M+S



Pattern Code **DYNTRAC HT**

DYNTRAC



High-performance tyre for luxury SUVs.

■ **SPEED RATING:**




H/V Speed Rated

■ **UTQG:**

500/A/A

■ **ADDITIONAL INFORMATION:**



	Size	LI/SI	Measuring Rim	Overall Diameter				UTQG	REMARK	
16	215/65R16	98H	6.5J	686	C	C	72	500/A/A		
	215/70R16	100H	6.5J	708	C	C	72	500/A/A		
	225/70R16	103H	6.5J	722	C	C	72	500/A/A		
	235/70R16	106H	7.0J	736	C	C	72	500/A/A		
	245/70R16	111H XL	7.0J	750	C	C	72	500/A/A		
	265/70R16	112H	8.0J	778	C	C	72	500/A/A		
17	215/60R17	96V	6.5J	690	C	C	72	500/A/A		
	225/60R17	99H	6.5J	702	C	C	72	500/A/A		
	225/65R17	102H	6.5J	724	C	C	72	500/A/A		
	235/55R17	99/103V	7.5J	690	C	C	72	500/A/A		
	235/60R17	102H	7.0J	714	C	C	72	500/A/A		
	235/65R17	104/108H	7.0J	738	C	C	72	500/A/A		
	245/65R17	111H XL	7.0J	750	C	C	72	500/A/A		
	265/65R17	112H	8.0J	776	C	C	72	500/A/A		
	18	215/55R18	95V	7.0J	693	C	C	72	500/A/A	
		225/50R18	95W	7.0J	683	C	C	72	500/A/A	
225/55R18		98V	7.0J	705	C	C	72	500/A/A		
225/60R18		100H	6.5J	727	C	C	72	500/A/A		
235/50R18		101V	7.5J	693	C	C	72	500/A/A		
235/55R18		104V XL	7.5J	715	C	C	72	500/A/A		
235/60R18		107V XL	7.0J	739	C	C	72	500/A/A		
235/65R18		106H	7.0J	763	C	C	72	500/A/A		
245/60R18		105V	7.0J	751	C	C	72	500/A/A		
255/55R18		109V	8.0J	737	C	C	72	500/A/A		
285/60R18		116V	8.5J	799	C	C	73	500/A/A		
19		225/55R19	99V	7.0J	731	C	C	72	500/A/A	
		235/50R19	99V	7.5J	719	C	C	72	500/A/A	
		235/55R19	105V XL	7.5J	741	C	C	72	500/A/A	
	245/55R19	103V	7.5J	753	C	C	72	500/A/A		
	255/50R19	107W XL	8.0J	739	C	C	72	500/A/A		
	255/55R19	111V XL	8.0J	763	C	C	72	500/A/A		
	20	245/50R20	102V	7.5J	754	C	C	72	500/A/A	
255/50R20		109W XL	8.0J	764	C	C	72	500/A/A		
255/55R20		110W XL	8.0J	788	C	C	72	500/A/A		
285/50R20		116W XL	9.0J	794	C	C	73	500/A/A		
255/55R19		103V			C	C	72	500/A/A		
235/65R17		108H			C	C	72	500/A/A		
285/60R18		120H			C	C	72	500/A/A		
255/50R20		111V			C	C	72	500/A/A		



NS501



For aggressive all-terrain driving, the best on/off-road tyre for 4x4 vehicles.

■ **SPEED RATING:**

S/T Speed Rated

■ **UTQG:**

480/A/B

■ **ADDITIONAL INFORMATION:**



	Size	LI/SI	Ply Rating	Measuring Rim	Overall Diameter	UTQG	Remark
15	LT215/75R15	106/103S	8PR	6.0J	703		OWL
	235/75R15	109T XL		6.5J	733	480/A/B	OWL
	31x10.5R15LT	109S	6PR	8.5J	775		OWL
16	215/70R16	100T		6.5J	708	480/A/B	OWL
	235/70R16	106T		7.0J	736	480/A/B	OWL
	245/70R16	107T		7.0J	750	480/A/B	OWL
	265/70R16	112T		8.0J	778	480/A/B	OWL
	LT215/85R16	115/112S	10PR	6.0J	772		OWL
	LT225/75R16	115/112S	10PR	6.0J	744		OWL
	LT235/85R16	120/116S	10PR	6.5J	806		OWL
	LT235/85R16	120/116S	10PR	6.5J	806		OWL
	LT245/75R16	120/116S	10PR	7.0J	774		OWL
	LT265/75R16	123/120S	10PR	7.5J	804		OWL
	LT285/75R16	122/119S	8PR	8.0J	834		OWL
	17	225/65R17	102T/H		6.5J	724	480/A/B
235/65R17		108T XL		7.0J	738	480/A/B	OWL
245/65R17		112T		7.0J	750	480/A/B	OWL
265/65R17		115T		8.0J	776	480/A/B	OWL
265/70R17		115T		8.0J	804	480/A/B	OWL
LT265/70R17		121/118S	10PR	8.0J	804		OWL
LT285/70R17		121/118S	8PR	8.5J	832		OWL
18		265/60R18	116T		8.0J	775	480/A/B
	275/65R18	111T XL		8.0J	815	480/A/B	OWL
	20	265/50R20	117T XL		8.5J	774	480/A/B
275/55R20		115T		8.5J	810	480/A/B	OWL
275/60R20		115T		8.0J	838	480/A/B	OWL
LT275/65R20		126 /123S	10PR	8.0J	866		OWL
225/65R17		102T				480/A/B	OWL
245/65R17		107T				480/A/B	OWL
265/65R17		112T				480/A/B	OWL
265/70R17		115T				480/A/B	OWL
265/60R18	110T				480/A/B	OWL	
275/65R18	116T				480/A/B	OWL	
265/50R20	111T				480/A/B	OWL	
275/55R20	117T				480/A/B	OWL	
LT285/70R17	121/118S				500/A/B	OWL	

OWL=Outline White Letter



ALL-TERRAIN NX5

NEW



ALL TERRAIN NX5, Powerful traction performance on mud and snow roads. Great grip performance in rough and changeable road conditions.

■ **SPEED RATING:**
S/R Speed Rated

■ **ADDITIONAL INFORMATION:**     

	Size	LI/SI	Measuring Rim	Max Pressure	OA Diameter	Section Width	Remark
15	31X10.50R15LT	109S 6PR	8.5J	350/50	775	268	RWL
16	LT245/70R16	113/110S 10PR	7.0J	550/80	750	248	RWL
	LT265/70R16	121/118S 10PR	8.0J	550/80	778	272	RWL
	LT265/75R16	123/120R 10PR	7.5J	550/80	804	267	RWL
	LT285/75R16	126/123R 10PR	8.0J	550/80	834	286	RWL
17	LT265/65R17	120/117S 10PR	8.0J	550/80	776	272	RWL
	LT265/70R17	121/118S 10PR	8.0J	550/80	804	272	RWL
	LT285/70R17	121/118R 10PR	8.0J	550/80	832	292	RWL
	LT315/70R17	121/118S 10PR	10.0J	550/80	874	323	RWL
18	LT265/60R18	119/116S 10PR	8.0J	550/80	775	272	RWL

RWL=Raised White Letter



M+S



Pattern Code NS523 MT

NS523



Off-road driving excitement.

■ SPEED RATING:
Q Speed Rated

■ ADDITIONAL INFORMATION: E9 CCC INMETRO NOM P.O.R.

	Size	LI/SI	Tire Type	Measuring Rim	Qverall Diameter
14	27×8.5R14LT	95Q	6PR	7.0J	674
15	LT215/75R15	106/103Q	8PR	6.0J	703
	LT235/75R15	104/101Q	6PR	6.5J	733
	31×10.5R15LT	109Q	6PR	8.5J	775
	32×11.5R15LT	113Q	6PR	9.0J	801
	33×12.5R15LT	108Q	6PR	10.0J	826
16	LT225/75R16	115/112Q	10PR	6.0J	744
	LT235/70R16	110/107Q	8PR	7.0J	736
	LT235/85R16	120/116Q	10PR	6.5J	806
	LT245/70R16	113/110Q	8PR	7.0J	750
	LT245/75R16	120/116Q	10PR	7.0J	774
	LT265/75R16	123/120Q	10PR	7.5J	804
	LT285/75R16	122/119Q	8PR	8.0J	834
	LT265/65R17	120/117Q	10PR	8.0J	776
17	LT265/70R17	118/115Q	8PR	8.0J	804
	LT285/70R17	121/118Q	10PR	8.5J	832
	33×12.5R17LT	114Q	8PR	10.0J	826
	35×12.5R17LT	121Q	10PR	10.0J	877
	18	33×12.5R18LT	118Q	10PR	10.0J
35×12.5R18LT		123Q	10PR	10.0J	877
20	33×12.5R20LT	114Q	10PR	10.0J	826
	35×12.5R20LT	121Q	10PR	10.0J	877
	37×13.5R20LT	127Q	10PR	10.0J	928
22	33×12.5R22LT	109Q	10PR	10.0J	826
	35×12.5R22LT	127Q	10PR	10.0J	877
	37×13.5R22LT	123Q	10PR	10.0J	928
	31×10.5OR15LT POR	109Q	6PR		
	33×12.5OR15LT POR	108Q	6PR		
	35×12.5OR22LT	117Q	10PR		
	LT215/75R15 POR	106/103Q	8PR		
	LT235/70R16 POR	110/107Q	8PR		
	LT235/75R15 POR	104/101Q	6PR		
	LT245/75R16 POR	120/116Q	10PR		



Pattern Code **NS913 COMMERCIAL**

NS913






Commercial tyre for vans and light trucks.

■ **SPEED RATING:**
Q/R/S Speed Rated

■ **ADDITIONAL INFORMATION:**     



	Size	LI/SI	Ply Rating	Measuring Rim	Overall Diameter				Remark	
13	155R13C	85/83R	6PR	4.5J	578					
	165/70R13C	88/86S	6PR	5.0J	562					
	165R13C	94/93R	6PR	4.5J	596					
14	175/65R14C	90/88T	6PR	5.0J	584					
	175/70R14C	95/93S	6PR	5.0J	602					
	175R14C	99/98Q	8PR	5.0J	634	D	B		71	
	185R14C	102/100R	8PR	5.5J	650	D	B		71	
	195R14C	106/104Q	8PR	5.5J	666	D	B		71	
15	205/75R14C	109/107R	8PR	5.5J	664	D	B		71	
	195/70R15C	104/102S	8PR	6.0J	655	D	B		71	
	195R15C	106/104R	8PR	5.5J	691	D	B		71	
	205/70R15C	106/104R	8PR	6.0J	669	D	B		71	
	205/75R15C	103/100R	8PR	5.5J	689	D	B		71	
	215/70R15C	109/107R	8PR	6.5J	683	D	B		71	
	225/70R15C	112/110R	8PR	6.5J	697	D	B		71	
16	175/75R16C	101/99R	8PR	5.0J	668	D	B		71	
	185/75R16C	104/102R	8PR	5.0J	684	D	B		71	
	195/75R16C	107/105R	8PR	5.5J	698	D	B		71	
	215/70R16C	108/106R	8PR	6.5J	709	D	B		72	
	215/75R16C	112/109R	10PR	6.0J	728					
	215/75R16C	113/111R	8PR	6.0J	728	D	B		72	
RWW	185R14C	102/100R	8PR	5.5J	650	D	B		71	RWW
	195R14C	105/103Q	8PR	5.5J	666					RWW
	195R14C	106/104Q	8PR	5.5J	666	D	B		71	RWW
	205/75R14C	102/99R	8PR	5.5J	664					RWW
	205/75R14C	109/107R	8PR	5.5J	664	D	B		71	RWW
	195R15C	106/104R	8PR	5.5J	691	D	B		71	RWW
	205/75R15C	103/100R	8PR	5.5J	689	D	B		71	RWW
	165/70R13C	88/86R	6PR							
	165/70R13C	165R13C	6PR							
	195R15C	106/104R	8PR							RWW

RWW=Raised White Wall



Pattern Code **NS916 COMMERCIAL**




NS916



Commercial tyre for vans and light trucks, Designed for Europe.

■ **SPEED RATING:**
R/T Speed Rated

■ **ADDITIONAL INFORMATION:**     

	Size	LI/SI	Ply Rating	Measuring Rim	Overall Diameter			
14	185R14C	102/100R	8PR	5.5J	652	D	B	72
15	195/70R15C	104/102R	8PR	6.0J	655	D	B	72
	205/65R15C	102/100R	6PR	6.0J	647	D	B	72
	215/65R15C	104/102R	6PR	6.5J	661	D	B	72
	225/70R15C	112/110R	8PR	6.5J	697	D	B	72
	195/60R16C	99/97R	6PR	6.0J	640	D	B	72
16	195/65R16C	104/102R	8PR	6.0J	660	D	B	72
	205/65R16C	107/105R	8PR	6.0J	672	D	B	72
	205/75R16C	110/108R	10PR	5.5J	714	D	B	72
	205R16C	99/97T	6PR	6.0J	640	D	B	72
	215/60R16C	108/106R	8PR	6.5J	664	D	B	72
	215/65R16C	109/107R	8PR	6.5J	686	D	B	72
	215/75R16C	113/111R	8PR	6.0J	728	D	B	72
	225/65R16C	113/112R	8PR	6.5J	698	D	B	72
	235/65R16C	115/113R	8PR	7.0J	712	D	B	72
	205/65R15C	102/100T	6PR			D	B	72
	215/65R15C	104/102T	6PR			D	B	72
	205R16C	110/108Q	8PR			D	B	72
	195/60R16C	99/97T	6PR			D	B	72
	215/60R16C	108/106T	8PR			D	B	72
	215/65R16C	109/107T	8PR			D	B	72
	225/65R16C	112/110T	8PR			D	B	72
	205/75R16C	115/113R	8PR			D	B	72
205R16C	205R16C	8PR			D	B	72	



Pattern Code NS805+ SNOW




NS805+



Designed specifically for winter road conditions. The use of an advanced new silica compound, 3D kerfs and asymmetrical patterning offers increased winter tire performance suitable for luxury premium and sports sedans.

■ **SPEED RATING:**
S/T/H/V Speed Rated

■ **ADDITIONAL INFORMATION:**    

	Size	LI/SI	Measuring Rim	Overall Diameter				
13	155/65R13	73T	4.5J	532	/	/	/	
	165/70R13	79T	5.0J	562	D	D	67	
14	175/65R14	82T	5.0J	584	D	D	67	
	175/70R14	84S	5.0J	602	D	D	67	
	185/60R14	82T	5.5J	578	D	D	67	
	195/60R14	86H	6.0J	590	D	D	67	
	185/65R14	86T	5.5J	596	D	D	67	
15	185/55R15	86H XL	6.0J	585	D	D	67	
	185/60R15	84H	5.5J	603	D	D	67	
	185/65R15	88T	5.5J	621	D	D	67	
	195/55R15	85V	6.0J	595	D	C	67	
	195/60R15	88H	6.0J	615	D	C	67	
	195/65R15	91H	6.0J	635	D	C	67	
	205/65R15	94H	6.0J	647	D	C	67	
	16	195/50R16	88H XL	6.0J	602	D	C	67
		195/55R16	91H XL	6.0J	620	D	C	67
205/55R16		91T	6.5J	632	D	C	67	
205/60R16		92T	6.0J	652	D	C	67	
215/55R16		97V XL	7.0J	642	D	C	67	
215/60R16		95H	6.5J	664	D	C	67	
225/55R16		99H XL	7.0J	654	D	C	67	
17	215/50R17	95V XL	7.0J	648	D	C	67	
	215/55R17	98V XL	7.0J	668	D	C	67	
	225/45R17	94V XL	7.5J	634	D	C	67	
	225/50R17	98V XL	7.0J	658	D	C	67	
	225/55R17	101V XL	7.0J	680	D	C	67	
	225/65R17	102T	6.5J	724	D	C	67	
	235/45R17	97V XL	8.0J	644	D	C	67	
	235/55R17	103V XL	7.5J	690	D	C	67	
	245/45R17	99V XL	8.0J	652	D	C	67	
18	225/45R18	95V XL	7.5J	659	D	C	67	
	235/45R18	98V XL	8.0J	669	D	C	67	
	245/45R18	100V XL	8.0J	677	D	C	67	
	245/50R18	104V XL	7.5J	703	D	C	67	
	255/40R18	99V XL	9.0J	661	D	C	70	
	255/45R18	103V XL	8.5J	687	D	C	70	
	275/45R18	107V XL	9.0J	705	D	C	70	
	19	225/45R19	96V XL	7.5J	685	D	C	67
245/45R19		102V XL	8.0J	703	D	C	70	
195/60R15		88T					67	
	195/65R15	91T					67	



M+S



Pattern Code **NS806 SNOW**




NS806



Suitable for SUV, designed specially for snow & ice road.
Strong steel belt, high impact resistance.

■ **SPEED RATING:**
S/T Speed Rated

■ **ADDITIONAL INFORMATION:**    

	Size	LI/SI	Measuring Rim	Overall Diameter			
15	215/75R15	100S	6.0J	703	D	C	72
	235/75R15	109TXL	6.5J	733	D	C	72
16	215/65R16	102TXL	6.5J	686	D	C	72
	215/70R16	100T	6.5J	708	D	C	72
	235/60R16	100T	7.0J	688	D	C	72
17	235/70R16	106T	7.0J	736	D	C	72
	225/65R17	102T	6.5J	724	D	C	72
	215/60R17	100TXL	6.5J	690	D	C	72
18	225/60R17	103T	6.5J	702	D	C	72
	235/65R17	104T	7.0J	738	D	C	72
	265/65R17	112T	8.0J	776	D	C	73
	245/60R18	105T	7.0J	751	D	C	72
	255/55R18	109T XL	8.0J	737	D	C	73
	215/55R18	95T	7.0J	693	D	C	72
	225/55R18	98T	7.0J	705	D	C	72
19	235/50R18	101TXL	7.5J	693	D	C	72
	235/55R18	100T	7.5J	715	D	C	72
	235/60R18	107TXL	7.0J	739	D	C	72
	225/55R19	99T	7.0J	731	D	C	72
	235/50R19	103T XL	7.5J	719	D	C	72
	235/55R19	105T XL	7.5J	741	D	C	72
	245/55R19	103T	7.5J	753	D	C	72
20	255/45R19	104T XL	8.5J	713	D	C	73
	255/50R19	107T XL	8.0J	739	D	C	73
	245/45R20	103T XL	8.0J	728	D	C	73
	255/45R20	105T XL	8.5J	738	D	C	73
	255/55R20	110T XL	8.0J	788	D	C	73
	275/45R20	110T XL	9.0J	756	D	C	74
	275/50R20	113T XL	8.5J	784	D	C	74
	215/65R16	98T					72
	215/60R17	96T					72
	225/60R17	99T					72
	235/50R18	97T					72



NS808




NEW



Designed specifically for winter road conditions. The use of an advanced new silica compound, 3D kerfs and asymmetrical patterning offers increased winter tire performance suitable for luxury premium and sports sedans.

■ **SPEED RATING:**
H/V Speed Rated

■ **ADDITIONAL INFORMATION:**    

	Size	LI/SI	Measuring Rim	Overall Diameter			
16	215/65R16	98H	6.5J	686	C	D	68
	225/60R16	102HXL	6.5J	676	C	D	68
17	215/45R17	91VXL	7.0J	626	C	D	68
	225/60R17	99H	6.5J	702	C	D	68
	235/65R17	104H	7.0J	738	C	D	68
18	225/40R18	92VXL	8.0J	637	C	D	68
	245/40R18	97VXL	8.5J	653	C	D	68
19	235/40R19	96VXL	8.5J	671	C	D	68
	245/40R19	98VXL	8.5J	679	C	D	68
	255/35R19	96VXL	9.0J	661	C	D	68
	255/45R19	104VXL	8.5J	713	C	D	68
	255/50R19	107VXL	8.0J	739	C	D	68
20	245/40R20	99VXL	8.5J	704	C	D	68
	215/55R16	97H/V XL			C	D	68
	215/60R16	99H/ XL			C	D	68
	215/45R17	91V/W XL			C	D	68
	215/50R17	95V/W XL			C	D	68
	215/55R17	98V/H XL			C	D	68
	225/45R17	94V/W XL			C	D	68
	225/50R17	98V XL			C	D	68
	225/55R17	101V/H XL			C	D	68
	225/65R17	102H			C	D	68
	235/55R17	103V/H XL			C	D	68
	225/40R18	92V/W XL			C	D	68
	225/45R18	95V/W XL			C	D	68
	235/45R18	98W/V XL			C	D	68
	245/40R18	97V/W XL			C	D	68
	255/40R18	99H/V XL			C	D	68
	235/40R19	96V/W XL			C	D	68
	245/40R19	98V/WXL			C	D	68
	245/45R19	102V/H XL			C	D	68
	255/35R19	96W/V XL			C	D	68
	255/45R19	104V/H XL			C	D	68
	255/50R19	107V/H XL			C	D	68
	245/40R20	99V/W XL			C	D	68






Pattern Code NS809 SNOW

NS809

NEW



	Size	LI/SI	Measuring Rim	Overall Diameter			
15	195/70R15C	104/102R	6.0J	655	C	B	68
	205/70R15C	106/104R	6.0J	669	C	B	68
	215/65R15C	104/102R	6.5J	661	C	B	68
	215/70R15C	109/107R	6.5J	683	C	B	68
16	185/75R16C	104/102R	5.0J	684	C	B	68
	195/65R16C	104/102T	6.0J	660	C	B	68
	195/75R16C	107/105R	5.5J	698	C	B	68
	205/65R16C	107/105T	6.0J	672	C	B	68
	215/60R16C	108/106R	6.5J	664	C	B	68
	215/65R16C	109/107T	6.5J	686	C	B	68
	215/75R16C	113/111R	6.0J	728	C	B	68
	225/65R16C	112/110R	6.5J	698	C	B	68
	225/70R15C	112/110R	6.5J	697	C	B	68
	225/75R16C	121/120R	6.0J	744	C	B	68
235/65R16C	115/113R	7.0J	712	C	B	68	
17	215/60R17C	109/107T	6.5J	690	C	B	68

Commercial winter tires for vans and light trucks

■ SPEED RATING:
R/T Speed Rated

■ ADDITIONAL INFORMATION:    

Definitions

Overall Diameter

Diameter of the tire from tread surface to tread surface while inflated but unladen.

Tread Width

The width of the tread surface, designed for contact with the road.

Rim Width

Distance between the inside of the rim flanges.

Section Width

Uniform Tire Quality Grading.

Section Height

Distance between the outer sidewalls of an inflated tire.

Speed Symbol

Speed Symbol	Speed[km/h]	Speed[mp/h]	
K	110	68	
L	120	74	
M	130	81	
N	140	87	
P	150	93	
Q	160	99	
R	170	106	
S	180	112	
T	190	118	
U	200	124	
H	210	130	
V	240	149	
Z	W	270	
	Y	300	186
	[Y]	Above 300	Above 186

BSW : Black Sidewall

WSW : White Sidewall

Load Index and Equivalent Loads

Load Index	Load[kg]	Load[lbs]
75	387	853
76	400	882
77	412	908
78	425	937
79	437	963
80	450	992
81	462	1019
82	475	1047
83	487	1074
84	500	1102
85	515	1135
86	530	1168
87	545	1201
88	560	1235

Load Index	Load[kg]	Load[lbs]
89	580	1279
90	600	1323
91	615	1356
92	630	1389
93	650	1433
94	670	1477
95	690	1521
96	710	1585
97	730	1609
98	750	1653
99	775	1709
100	800	1764
101	825	1819
102	850	1874

Load Index	Load[kg]	Load[lbs]
103	875	1929
104	900	1984
105	925	2039
106	950	2094
107	975	2149
108	1000	2205
109	1030	2271
110	1050	2337
111	1090	2403
112	1120	2469
113	1150	2535
114	1180	2601
115	1215	2679