



@12555 Orange Dr Suite 107
Southwest Ranches, FL 33330

FRIDERIC



TRUCK&BUS TYRES

Product Catalogue






MD 506



SIZE	STANDARD RIM	SPEED RATING	PR	TREAD DEPTH	LOAD INDEX
12R22.5	9.00	L	18	18.5	152/149



RD 508



SIZE	STANDARD RIM	SPEED RATING	PR	TREAD DEPTH	LOAD INDEX
11.00R20	8.0	K	18	19.5	152/149
12.00R20	8.5	K	20	20.5	156/153



FA 602



SIZE	STANDARD RIM	SPEED RATING	PR	TREAD DEPTH	LOAD INDEX
11R22.5	8.25	M	14PR	10.9	144/142
11R22.5	8.25	M	16PR	10.9	146/143
295/75R22.5	9.00	M	14PR	10.9	144/141
295/75R22.5	9.00	M	16PR	10.9	146/143



FA 606



SIZE	STANDARD RIM	SPEED RATING	PR	TREAD DEPTH	LOAD INDEX
11R22.5	8.25	M	16	15	146/143
11R24.5	8.25	M	16	15	149/146
255/70R22.5	7.50	M	16	13	140/137
285/75R24.5	8.25	M	16	15	147/144
295/75R22.5	9.00	M	16	15	146/143
295/80R22.5	9.00	M	18	15	152/149
315/80R22.5	9.00	M	20	14.5	156/153



RS 106



SIZE	STANDARD RIM	SPEED RATING	PR	TREAD DEPTH	LOAD INDEX
12R22.5	9.00	L	18	16.5	152/149




LT 288



SIZE	STANDARD RIM	SPEED RATING	PR	TREAD DEPTH	LOAD INDEX
295/60R22.5	9.00	M	18	15.5	150/147




FA 625



SIZE	STANDARD RIM	SPEED RATING	PR	TREAD DEPTH	LOAD INDEX
385/65R22.5	11.75	K	20	16	160



FA 626



SIZE	STANDARD RIM	SPEED RATING	PR	TREAD DEPTH	LOAD INDEX
385/65R22.5	11.75	K	20	16	160



FA 656



SIZE	STANDARD RIM	SPEED RATING	PR	TREAD DEPTH	LOAD INDEX
12R22.5	9.00	M	18	16.5	152/149
295/80R22.5	9.00	M	18	15.5	152/149



FA 678



SIZE	STANDARD RIM	SPEED RATING	PR	TREAD DEPTH	LOAD INDEX
12R22.5	9.00	K	18	17.5	152/149



FA 678G



SIZE	STANDARD RIM	SPEED RATING	PR	TREAD DEPTH	LOAD INDEX
12.00R20	8.5	K	20	17	156/153




FA 688



SIZE	STANDARD RIM	SPEED RATING	PR	TREAD DEPTH	LOAD INDEX
215/75R17.5	6	M	16	12.5	128/126
235/75R17.5	6.75	M	16	12.5	132/130
225/70R19.5	6.75	M	16	13	130/128
245/70R19.5	7.5	M	16	13	135/133




FD 707



SIZE	STANDARD RIM	SPEED RATING	PR	TREAD DEPTH	LOAD INDEX
11R22.5	8.25	M	16	22.5	146/143
295/80R22.5	9.00	M	18	22.5	152/149
315/80R22.5	9.00	M	20	23	156/153
12R22.5	9.00	M	18	23	152/149




FD 728



SIZE	STANDARD RIM	SPEED RATING	PR	TREAD DEPTH	LOAD INDEX
12R22.5	9.00	L	18	21	152/149
295/80R22.5	9.00	L	18	19.5	152/149



FD 758



SIZE	STANDARD RIM	SPEED RATING	PR	TREAD DEPTH	LOAD INDEX
315/80R22.5	9.00	L	20	21	156/153
12R22.5	9.00	K	18	21	152/149



FD 759



SIZE	STANDARD RIM	SPEED RATING	PR	TREAD DEPTH	LOAD INDEX
13R22.5	9.75	K	18	18.5	154/151



PA 826



SIZE	STANDARD RIM	SPEED RATING	PR	TREAD DEPTH	LOAD INDEX
11.00R20	8.0	F	18	24.5	152/149
12.00R20	8.5	F	20	25	156/153




PA 827



SIZE	STANDARD RIM	SPEED RATING	PR	TREAD DEPTH	LOAD INDEX
11.00R20	8.0	F	18	24.5	152/149
12.00R20	8.5	F	20	25	156/153




FA 808



SIZE	STANDARD RIM	SPEED RATING	PR	TREAD DEPTH	LOAD INDEX
7.00R16LT	5.50F	L	14	12	118/114
7.50R16LT	6.00G	L	16	12	124/120
8.25R16LT	6.50H	M	16	12	128/124
8.25R20	6.50	L	16	13	139/137
9.00R20	7.0	L	16	15.5	144/142
10.00R20	7.5	L	18	15.5	149/146
11R22.5	8.25	M	16	15	146/143
11R24.5	8.25	M	16	15	149/146
12.00R24	8.5	L	20	14	160/157
13R22.5	9.75	L	18	16.5	154/151
255/70R22.5	7.50	M	16	13	140/137
315/80R22.5	9.00	M	20	14.5	156/153



RA 308



SIZE	STANDARD RIM	SPEED RATING	PR	TREAD DEPTH	LOAD INDEX
11.00R20	8.0	L	18	17	152/149
12.00R20	8.5	L	20	17.5	156/153
12R22.5	9.00	M	18	15.5	152/149




PA 828



SIZE	STANDARD RIM	SPEED RATING	PR	TREAD DEPTH	LOAD INDEX
12.00R20	8.5	F	20	25	156/153



FD 868



SIZE	STANDARD RIM	SPEED RATING	PR	TREAD DEPTH	LOAD INDEX
10.00R20	7.5	K	18	15.5	149/146
315/80R22.5	9.00	M	20	17	156/153
11.00R20	8.0	L	18	16	152/149



FD 927



SIZE	STANDARD RIM	SPEED RATING	PR	TREAD DEPTH	LOAD INDEX
8.25R16LT	6.50H	F	16	21	128/124
8.25R20	6.5	F	16	17	139/137
9.00R20	7.0	F	16	21	144/142
10.00R20	7.5	F	18	22	149/146



S a l e s O f f i c e U S A :

12555 Orange Drive Suite # 107 Southwest Ranches, FL 33330

Tel: 786-521-1284 / 786-521-1296

Email: sales@commercial-plus.com

S a l e s O f f i c e M e x i c o :

Leibnitz 117, Piso 3 Of 303 Col. Nueva Anzures

Ciudad de Mexico C.P 11590

Tel: 786-521-1284 / 786-521-1296

Email: sales@tireinternational.com.mx